



A NORTHAIR GROUP COMPANY

SUITE 860 - 625 HOWE STREET • VANCOUVER, BC • V6C 2T6 CANADA • TEL: 604-687-7545 FAX: 604-689-5041

**PRESS RELEASE  
FOR IMMEDIATE RELEASE  
MARCH 16, 2009**

**#09-01**

**Tenajon’s Moly Brook Metallurgy Test Results Confirm High Recovery Rates**  
*Cleaner tests of the high grade composite produced a concentrate averaging 53% Mo*

Tenajon Resources Corp. (“Tenajon” or the “Company”) is pleased to provide the results of a metallurgical study completed on its Moly Brook Molybdenum Property, located near Grey River, Newfoundland. The purpose of the study, carried out by an independent consulting metallurgical firm, was to:

- Conduct a series of batch rougher and cleaner flotation tests to establish baseline flotation conditions and estimates of metallurgical recoveries; and
- Determine the essential characteristics of the ore composites including the chemical composition and the ore hardness.

The metallurgical study was completed on high and low grade composites of mineralization using core collected from the 2008 drill program conducted at the Moly Brook Zone. The composites respectively weighed 148.1 and 280.2 kilograms. Each composite was stage crushed and screened to pass 6 mesh and split into representative 2 kg charges. Sub-samples were removed from each composite and assayed. The average grades of the composites are summarized below.

<b>Composite</b>	<b>Mo (%)</b>	<b>Cu (%)</b>
High Grade	0.094	0.045
Low Grade	0.063	0.019

A series of rougher tests conducted on both composites indicated that over 90% of the molybdenum can be recovered into a rougher concentrate. Similar results were achieved when grinding the flotation feed to K<sub>80</sub> 148 and 225 microns.

The cleaner tests for the high grade composite produced a concentrate averaging 53% molybdenum containing 85% of the molybdenum in the feed. The test work on the low grade composite produced results that were slightly lower compared to the high grade composite. On average about 82% of the molybdenum in the feed was recovered into a flotation concentrate assaying 52% molybdenum. The rougher concentrates were ground to a nominal K<sub>80</sub> 18 microns prior to two stages of cleaning.

A Bond Work Index test was carried out on the high grade composite and it was found to have a work index of 16 kWh/tonne.

The metallurgical program was carried out by G&T Metallurgical Services of Kamloops, BC under the supervision of Peter Taggart, P.Eng. of Peter Taggart and Associates Ltd., a qualified person as defined by NI 43-101. Mr. Taggart has reviewed this news release and agreed to its contents.

The Moly Brook Property is located on the south coast of Newfoundland, 2.5 km from the hamlet of Grey River, less than 4 km from a deep water, ice free, navigable fjord. The community is serviced daily by provincial ferries.

The Moly Brook Zone, currently the focus of exploration, is located at the north end of a 2.5 km long trend of sheeted quartz veining, stockwork and fracturing in which molybdenum +/- copper +/- silver occurs. Three zones, Moly Brook, Wolf and Chimney Ponds have been outlined in the trend to date. Drilling has traced the Moly Brook Zone along strike for 750 metres depths to over 350 metres below surface. The zone is open to the north and south. Width is variable to 500 metres.

The work at Moly Brook is completed under the supervision of Dave Visagie, P. Geo., a Qualified Person as defined by NI 43-101.

On Behalf of the Board of Directors

**TENAJON RESOURCES CORP.**

*Per: D. Bruce McLeod*

---

D. Bruce McLeod, President

Investor Contacts:

Bruce McLeod 604-687-7545 or Chris Curran 604-331-2288

### **Corporate Information**

Bruce McLeod, President, CEO, Director

Suite 860 - 625 Howe Street

Vancouver BC Canada V6C 2T6

Tel: (604) 687-7545

TF: 1-888-338-2200

Fax: (604) 689-5041

Email: [info@tenajon.com](mailto:info@tenajon.com)

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release. This news release may contain forward looking statements which are not historical facts, such as ore reserve estimates, anticipated production or results, sales, revenues, costs, or discussions of goals and exploration results, and involves a number of risks and uncertainties that could cause actual results to differ materially from those projected. These risks and uncertainties include, but are not limited to, metal price volatility, volatility of metals production, project development, ore reserve estimates, future anticipated reserves and cost engineering estimate risks, geological factors and exploration results. See Tenajon's filings for a more detailed discussion of factors that may impact expected results.

### **Cautionary Statement Regarding Forward-Looking Information**

All statements, trend analysis and other information contained in this press release relative to markets about anticipated future events or results constitute forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "estimate", "expect" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Forward-looking statements are based on estimates and opinions of management at the date the statements are made. The Company does not undertake any obligation to update forward-looking statements even if circumstances or

management's estimates or opinions should change. Investors should not place undue reliance on forward-looking statements.